

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24	( throttle near6 valve near6 position)and (redundant same accelerator same sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:15
L2	0	( throttle same valve same position)and (redundant same accelerator same sensor)and magnitude and (weight same average)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:38
L3	9	( throttle same valve same position)and (redundant same accelerator same sensor)and magnitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:38
L4	70	( throttle same valve same position)and (pedal same position same sensor)and magnitude and average and error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:24
L5	6	( throttle same valve same position)and (pedal same position same sensor)and magnitude and (weight same average) and error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:39
L6	4	( throttle same valve same position)and (pedal same position same sensor)and magnitude and (correlation same error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:40
L7	1037	( throttle same valve same position)and (pedal same position same sensor)and (fault or fail\$5 or malfunction\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:42
L8	37	4 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:42

L9	138	(( throttle same valve same position)or ETC)and (pedal same position same sensor)and magnitude and average and error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:02
L10	53	(( throttle same valve same position)or ETC)and (pedal near5 position near6 sensor)and magnitude and average and error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:02
L11	90504	"123"/\$.ccls.	USPAT	OR	OFF	2005/05/17 08:59
L12	14259	(accelerator near6 (position or displacement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:08
L13	2310	11 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 08:59
L14	51	redundant same accelerator same sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:00
L15	22	11 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:00
L16	221	(multiple or redundant) same accelerator same sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:38
L17	46	11 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:01

L18	8	(accelerator near6 (position or displacement))and magnitude and (weight near6 average)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:17
L19	27	(accelerator near6 (position or displacement))and magnitude and (weight same average)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:12
L20	3	11 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:11
L21	2617	(resistive )and (hall near6 effect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:03
L22	2	13 and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:04
L23	28	11 and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:05
L24	21	9 and 11	USPAT	OR	OFF	2005/05/17 10:02
L25	12	(( throttle same valve same position)or ETC)and (pedal same position same sensor)and magnitude and average and error and redundant and (fault or fail or malfunction\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:07
L26	33	12 and 14	USPAT	OR	OFF	2005/05/17 10:07
L27	75	12 and 16	USPAT	OR	OFF	2005/05/17 10:07
L28	13	(accelerator near6 (position or displacement)near6 sensor)and magnitude and (weight same average)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:08

L29	5	( throttle same valve same position)and (pedal same position same sensor)and magnitude and average and error and redundant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:24
L30	15	((multiple or redundant) same accelerator same sensor)and (throttle near6 position)and (mean or median or average)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:31
L31	48	((multiple or redundant) same accelerator same sensor)and ((weight same value)or average)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 11:02
L32	1	"5507705".pn.	USPAT	OR	OFF	2005/05/17 11:06
L33	17	("4709595"   "4933859"   "4982805"   "5088351"   "5129475"   "5382206"). PN. OR ("5507705").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 11:02
L34	1	"5445126".pn.	USPAT	OR	OFF	2005/05/17 11:06
L35	20	("4975844"   "5031595"   "5133321"   "5157956"   "5255653"   "5320076"   "5381769"   "5396869"   "5415144"). PN. OR ("5445126").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 11:06